Twin Quilt: 66 1/2" x 84 1/2"

Project Sheet - Q555-158-555

Q1657

NIGHTY NIGHT OWL

© Viv Eisner

Crib Quilt: 36 1/2" x 55 1/2"

FREE PATTERN
OFFERED IN INDEPENDENT QUILT SHOPS TO COMPLEMENT THIS FABRIC COLLECTION.



Pillow Case:
31" x 20"

Fabric A 87616-347W
C-2/3 yard (1 panel)
PT- 2 panels-one for each

Fabric B 87617-742W
PT-1 1/3 yards

Fabric C 87618-137W
C-3/8 yard (piecing)
C-1 3/4 yards (backing)
PT-5/8 yard

Fabric D 87618-437W
C-1/3 yard
PT-1 1/3 yards

Fabric E 87619-348W
PT-2/3 yard

Fabric F 87619-748W
C-1/3 yard
PT-2/3 yard

Fabric G 87620-147W
PT-1/2 yard

Fabric H 87620-347W
PT- 5 1/3 yards (backing)

Fabric I 87620-747W
C-1/3 yard
PT-1 1/3 yards

C = Crib Quilt
PT = Pillow Case & Twin Quilt

Fabric J 87621-327W
C-3/8 yard
PT-1 1/3 yards

Fabric K 87621-427W
C-1/2 yard
PT-1 3/4 yards

Fabric L 87622-147W
C-2/3 yd (includes binding)
PT-1 5/8 yds (includes binding)

WILMINGTON Prints

Wilmington Prints: A World of Possibilities

Nighty Night Owl

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

Crib Quilt Instructions
approximate size: 36 1/2" x 55 1/2"

1. Cut the following:

Fabric A - Cut 1 - 22 1/2" x 41 1/2" (center design evenly)
Fabric C - Cut 2 - 2 1/2" strips, sew end to end, then subcut 1 - 2 1/2" x 51 1/2"
Cut 1 - 3" strip, subcut 1 - 3" x 36 1/2"
Fabric D - Cut 2 - 3" strips, sew end to end, then subcut 1 - 3" x 48 1/2"
Cut 1 - 1 1/2" strip, subcut 1 - 1 1/2" x 33 1/2"
Fabric F - Cut 2 - 2" strips, sew end to end, then subcut 1 - 2" x 48 1/2"
Cut 1 - 2 1/2" strip, subcut 1 - 2 1/2" x 33 1/2"
Fabric I - Cut 2 - 2" strips, sew end to end, then subcut 1 - 2" x 41 1/2"
Cut 1 - 2 1/2" strip, subcut 1 - 2 1/2" x 26 1/2"
Fabric J - Cut 2 - 2 1/2" strips, sew end to end, then subcut 1 - 2 1/2" x 44 1/2"
Cut 1 - 3" strip, subcut 1 - 3" x 29 1/2"
Fabric K - Cut 2 - 3" strips, sew end to end, then subcut 1 - 3" x 41 1/2"
Cut 3 - 1 1/2" strips, sew end to end, then subcut 1 - 1 1/2" x 26 1/2" and 1 - 1 1/2" x 51 1/2"
Cut 1 - 2" strip, subcut 1 - 2" x 36 1/2"
Fabric L - Cut 2 - 1 1/2" strips, sew end to end, then subcut 1 - 1 1/2" x 44 1/2"
Cut 1 - 2" strip, subcut 1 - 2" x 29 1/2"
BINDING - Cut 5 - 2 1/4" strips, sew end to end and press in half

2. Piecing Order:

1. Sew **I** 2" x 41 1/2" to the LEFT side and sew **K** 3" x 41 1/2" to the RIGHT side of **A** 22 1/2" x 41 1/2".

2. Sew **I** 2 1/2" x 26 1/2" to the TOP and sew **K** 1 1/2" x 26 1/2" to the BOTTOM of center panel **A**.

3. Sew **J** 2 1/2" x 44 1/2" to the LEFT side and sew **L** 1 1/2" x 44 1/2" to the RIGHT side of the quilt center.

4. Sew **J** 3" x 29 1/2" to the TOP and sew **L** 2" x 29 1/2" to the BOTTOM of the quilt.

5. Sew **D** 3" x 48 1/2" to the LEFT side and sew **F** 2" x 48 1/2" to the RIGHT side of the quilt.

6. Sew **D** 1 1/2" x 33 1/2" to the TOP and sew **F** 2 1/2" x 33 1/2" to the BOTTOM of the quilt.

7. Sew **K** 1 1/2" x 51 1/2" to the LEFT side and sew **C** 2 1/2" x 51 1/2" to the RIGHT side of the quilt.

8. Sew **K** 2" x 36 1/2" to the TOP and sew **C** 3" x 36 1/2" to the BOTTOM according to the diagram.



9. The Crib Quilt measures approximately 36 1/2" x 55 1/2". Make backing (**Fabric C**) several inches larger than the top. Layer and baste top, batting and backing together. Quilt as desired. Attach binding (**Fabric L**) and enjoy!!

Twin Quilt Instructions
approximate size: 66 1/2" x 84 1/2"

1. Cut the following:

*(The fabrics for the paper pieced blocks are marked with an *. Pre-cutting these pieces is optional. The pieces are cut slightly larger to be trimmed down after sewn.)*

Fabric A - Cut 1 - 22 1/2" x 41 1/2" (center design evenly)
Fabric B - Cut lengthwise 1 - 4 1/2" x 41 1/2"
Fabric C - Cut 2 - 4" strips, sew end to end, then subcut 1 - 4" x 42 1/2"
Cut 2 - 3 1/2" strips, sew end to end, then subcut 1- 3 1/2" x 55"
Fabric D - Cut 2 - 4 1/2" strips, sew end to end, then subcut 1 - 4 1/2" x 51"
Cut 1 - 1 1/2" strip, subcut 1 - 1 1/2" x 38 1/2"
*Cut 5 - 6" strips, subcut 28 - 6" squares
Fabric E - *Cut 2 - 9 1/2" strips, subcut 28 - 2 3/4" x 9 1/2"
Fabric F - Cut 1 - 3 1/2" strip, subcut 1 - 3 1/2" x 38 1/2"
Cut 2 - 2 1/2" strips, sew end to end, then subcut 1 - 2 1/2" x 51"
*Cut 4 - 2 1/2" strips, subcut 28 - 2 1/2" x 5"
Fabric G - *Cut 3 - 4" strips, subcut 14 - 4" x 7" rectangles, cut in half diagonally
Fabric I - Cut 2 - 2 1/2" strips, sew end to end, then subcut 1 - 2 1/2" x 41 1/2"
Cut 1 - 3 1/2" strip, subcut 1 - 3 1/2" x 28 1/2"
*Cut 6 - 4" strips, subcut 28 - 4" x 8"
Fabric J - Cut 2 - 3 1/2" strips, sew end to end, then subcut 1 - 3 1/2" x 45 1/2"
Cut 1 - 4" strip, subcut 1 - 4" x 32 1/2"
Cut 6 - 2" strips, sew end to end, then subcut 2 - 2" x 60 1/2" and 2 - 2" x 45 1/2"
*Cut 3 - 4" strips, subcut 14 - 4" x 7" rectangles, cut in half diagonally
Fabric K - Cut 3 - 1 1/2" strips, sew end to end, then subcut 1 - 1 1/2" x 28 1/2" and 1 - 1 1/2" x 55"
Cut 2 - 2 1/2" strips, sew end to end, then subcut 1 - 2 1/2" x 42 1/2"
Cut 8 - 2" strips, sew end to end, then subcut 2 - 2" x 81 1/2" and 2 - 2" x 66 1/2"
*Cut 4 - 2 1/2" strips, sew end to end, then subcut 28 - 2 1/2" x 5"
*Cut 2 - 4" strips, subcut 14 - 4" x 5" rectangles, cut in half diagonally
Fabric L - Cut 2 - 1 1/2" strips, sew end to end, then subcut 1 - 1 1/2" x 45 1/2"
Cut 1 - 2 1/2" strip, subcut 1 - 2 1/2" x 32 1/2"
*Cut 6 - 4" strips, subcut 28 - 4" x 7"
BINDING - Cut 8 - 2 1/4" strips, sew end to end and press in half

2. Piecing Order: (See diagram on next page.)

1. Sew **I** 2 1/2" x 41 1/2" to the LEFT side and sew **B** 4 1/2" x 41 1/2" to the RIGHT side of **A** 22 1/2" x 41 1/2".
2. Sew **I** 3 1/2" x 28 1/2" to the TOP and sew **K** 1 1/2" x 28 1/2" to the BOTTOM of **A**.
3. Sew **J** 3 1/2" x 45 1/2" to the LEFT side and sew **L** 1 1/2" x 45 1/2" to the RIGHT side of the quilt.
4. Sew **J** 4" x 32 1/2" to the TOP and sew **L** 2 1/2" x 32 1/2" to the BOTTOM of the quilt.
5. Sew **D** 4 1/2" x 51" to the LEFT side and sew **F** 2 1/2" x 51" to the RIGHT side of the quilt.
6. Sew **D** 1 1/2" x 38 1/2" to the TOP and sew **F** 3 1/2" x 38 1/2" to the BOTTOM of the quilt.
7. Sew **K** 1 1/2" x 55" to the LEFT side and sew **C** 3 1/2" x 55" to the RIGHT side of the quilt.
8. Sew **K** 2 1/2" x 42 1/2" to the TOP and sew **C** 4" x 42 1/2" to the BOTTOM of the quilt.
9. Sew **J** 2" x 60 1/2" to BOTH sides of the quilt, then sew **J** 2" x 45 1/2" to the TOP and BOTTOM according to the diagram on the next page.



make 28

10. Make 28 - 9" finished (9 1/2" unf.) Paper pieced blocks. Copy 28 block patterns (make sure printer margins are off and check scale measurements for accuracy.)

Use a shorter stitch length, 18 - 20 stitches per inch, for easy paper removal after sewn.

Follow the numerical sewing order on the paper pattern. First, place **Fabric L** on the unmarked side of the paper, right side up. **Fabric L** should extend beyond the stitching line or seam allowance line on all sides. Next, place **D** with right sides over **L**, make sure to allow enough for the seam allowance. Fold **D** over to check that it will cover the space plus extra for seam allowance once sewn. Turn paper over with fabric on the bottom and paper on the top, stitch ON the line. Trim excess fabric 1/4" from seam, do not trim the remaining fabric edges as they will be trimmed once the other seams are sewn. Press each piece before adding the next. Sew **Fabric J** and then **Fabric G** to the top of the pieced section. Sew **Fabric K** to **Fabric F** using the separate pattern, then sew to the larger block before adding **Fabric I**. Next, sew **Fabric E** to **Fabric K** using the separate pattern, then sew to the larger block according to the diagram.

Trim all completed blocks to 9 1/2" x 9 1/2". Then remove paper carefully.

11. Sew 7 blocks together for both SIDE borders and sew 7 blocks together for the TOP and BOTTOM borders. Rotate each block 1/4 turn when sewing together for borders. Sew SIDE borders to the quilt first, then sew TOP and BOTTOM borders according to the diagram.

12. Last, sew **K** 2" x 81 1/2" to the SIDES of the quilt, then sew **K** 2" x 66 1/2" to the TOP and BOTTOM.

13. The Twin Quilt measures approximately 66 1/2" x 84 1/2". Make backing (**Fabric H**) at least 8" larger than the top. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric L**) and enjoy!!



Pillowcase Instructions
approximate size: 31" x 20"

1. Cut the following:

Fabric A - Cut 1 - 22 1/2" x 41 1/2"
Fabric B - Cut lengthwise 1 - 6 3/4" x 41 1/2"
(see cover picture for exact border placement)
Fabric K - Cut 1 - 2" strip
Cut 1 - 11 1/4" strip

2. Piecing Order:

1. Sew **K** and **B** strips side by side for the cuff and lining according to the diagram.



2. Next, layer the following: 1) cuff strip set with **K** 2" strip on top, right side up, 2) **A** 22 1/2" x 41 1/2", right side down. Line up right raw edge of **A** even with the top of the **K** 2" strip and pin layers together. Next, roll **Fabric A** up from the bottom into a tube until the **K** 11 1/4" cuff is exposed. Then fold the bottom edge of the cuff over the rolled fabric so 3 layers of raw edges are even at the top.
Stitch all 3 layers together and backstitch to secure seam.

3. Pull **Fabric A** out of 1 end of the tube. You should now have the pillowcase cuff sewn with no exposed seams. Press.

4. Fold the pillowcase in half lengthwise with wrong sides together. Straighten edges and trim off selvages.

5. With pillowcase still folded (right side out) in half, stitch along the side and bottom edge of the pillowcase with a scant 1/4" seam. Backstitch at the beginning and end of the seam. Clip corners and any loose threads. Turn pillowcase wrong side out and press.

6. Take a slightly larger 1/4" seam (or even a 3/8" seam) and sew the side and bottom seam again, enclosing the raw edges of the first seam. Turn pillowcase right side out and press.
Enjoy!!



fold over rolled up **A** and line up with raw edge of **K** and **A**





Nighty Night Owl Templates





1″

Printer Test to Measure Template Accuracy:
Print out this page. Measure the line (dot-to-dot)with a ruler - it should be EXACTLY 1″ for the templates to be the correct size. You can enlarge or reduce the size of the templates & guide on a photocopy machine.


G
F
3
J
5
2
(sew K & F togehter first)
D
1
L
K
8
6
I
1"