FREE PATTERN OFFERED IN INDEPENDENT QUILT SHOPS TO COMPLEMENT THIS FABRIC COLLECTION.

So Many Bunnies

Q1437

By Wendy Edelson

Pillow
Finished size: 18” x 18”

Bunny Book
Finished size 9”x9”



Throw/Twin Bed Topper Finished size: 60 3/4” x 72 3/4”

A 69028-472W 30” x 43” Panel
Topper: 1 - 30” panel

B 69029-467W
Topper: 1 3/4 yards

C 69030-289W
Pillow: 3/4 yard

D 69031-127W
Topper: 1 1/2 yards
includes binding
Pillow: 3/8 yard

E 69031-227W
Topper: 1/4 yard
Pillow: 1/8 yard



F 69032-156W
Topper: 4 1/2 yards
backing only



G 69032-756W
Topper: 1 1/4 yards
Pillow: 1/3 yard



H Q1817-39065-404
Essentials
Topper: 1 1/2 yards
Pillow: 1/4 yard

WILMINGTON Prints

Wilmington Prints: A World of Possibilities

So Many Bunnies

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

Throw/Twin Bed Topper Instructions approximate size: 60 3/4" x 72 3/4"

1. Cut the following:

Fabric A - Cut 12 - 9 1/2" x 9 1/2" (center designs evenly)
Fabric B - Cut lengthwise - 2 - 7 1/4" x 54 1/2" and 2 - 7 1/4" x 42 1/2" (see cover picture for exact border stripe placement)
Fabric D - Cut 4 - 2 1/2" strips (sashing)
Cut 1 - 9 1/2" strip, subcut 16 - 2 1/2" x 9 1/2" (sashing)
Cut 1 - 5 1/4" strip, subcut 4 - 5 1/4" squares (corner blocks)
BINDING - Cut 7 - 2 1/4" strips, sew end to end and press in half
Fabric E - Cut 2 - 2 1/2" strips (cornerstones)
Fabric G - Cut 2 - 1" strips (cornerstones)
Cut 1 - 1 1/2" strip, subcut 16 - 1 1/2" corner squares
Borders: Cut 12 - 2" strips, sew end to end then subcut 2 - 2" x 51 1/2", 2 - 2" x 42 1/2", 2 - 2" x 69 1/2" and 2 - 2" x 60 1/2"
Fabric H - Cut 16 - 1" strips, from 8 strips - subcut 32 - 1" x 9 1/2" (sashing)
Cut 1 - 2 1/2" strip (cornerstones)
Cut 2 - 1" strips (cornerstones)
Cut 3 - 1 1/2" strips, subcut 16 - 1 1/2" x 5 1/4" (corner blocks)
Borders: Cut 7 - 1 1/4" strips, sew end to end, then subcut 2 - 1 1/4" x 68" and 2 - 1 1/4" x 57 1/2"

2. Piecing Order:

1. Sashing: Make 4 strip sets by sewing **H** 1", **D** 2 1/2" and **H** 1" strips side by side. Press toward **Fabric H**. Subcut 15 - 9 1/2" segments for the HORIZONTAL rows.



Next, make 16 sashing strips by sewing individual **H** 1" x 9 1/2", **D** 2 1/2" x 9 1/2" and **H** 1" x 9 1/2" strips side by side for the VERTICAL rows. Press toward **Fabric H**.



2. Cornerstones: Make 1 strip set by sewing **G** 1", **H** 2 1/2" and **G** 1" strips side by side. Press toward **Fabric H**.
Subcut 40 - 1" segments.



Next, make 2 strip sets by sewing **H** 1", **E** 2 1/2" and **H** 1" strips side by side. Press toward **Fabric H**. Subcut 20 - 2 1/2" segments.



Then make 20 cornerstone blocks by sewing rows together according to the diagram.



3. Make 5 rows by alternating 4 cornerstones and 3 HORIZONTAL sashing strips together according to the diagram.

make 5

4. Make 4 rows by alterating 4 VERTICAL sashing strips and 3 **A** 9 1/2" blocks. Pay attention to the order of **A** blocks according to the cover picture.

make 4

5. Make 4 - 6 3/4" finished (7 1/4" unf.) corner blocks. First, sew **G** 1 1/2" squares to both ends of 8 **H** 1 1/2" x 5 1/4". Press toward **H**. Next, sew **H** 1 1/2" x 5 1/4" to both sides of 4 D 5 1/4" squares. Press toward **H**. Then sew rows together according to the diagram.



make 8



make 4



make 4

6. Sew quilt center together by alternating rows of sashing and cornerstones and rows of blocks and sashing according to the diagram on the next page.

7. Sew **G** 2" borders around the quilt center, SIDES first, then TOP and BOTTOM borders.

8. Sew **B** 7 1/4" x 54 1/2" borders to both SIDES of the quilt. Next, sew a corner block (step 5) to both ends of 2 **B** 7 1/4" x 42 1/2", then sew to the quilt's TOP and BOTTOM according to the diagram on the next page.

9. Sew **H** 1 1/4" borders around the quilt, SIDES first, then TOP and BOTTOM borders.

10. Last, sew **G** 2" borders around the quilt, SIDES first, then TOP and BOTTOM borders according to the diagram on the next page.

11. The Quilt measures approximately 60" x 72". Make backing (**Fabric F**) at least 8" larger than the top. Layer and baste top, batting and backing together. Quilt as desired. Attach binding (**Fabric D**) and enjoy!!


G 2" x 60 1/2"
H 1 1/4" x 57 1/2"
B 7 1/4" x 42 1/2"
G 2" x 42 1/2"
A
G 2" x 69 1/2"
H 1 1/4" x 68"
B 7 1/4" x 54 1/2"
G 2" x 51 1/2"
G 2" x 51 1/2"
B 7 1/4" x 54 1/2"
H 1 1/4" x 68"
G 2" x 69 1/2"
G 2" x 42 1/2"
B 7 1/4" x 42 1/2"
H 1 1/4" x 57 1/2"
G 2" x 60 1/2"

Pillow Instructions
approximate size: 18" x 18"
Page 4

1. Cut the following:

Fabric C - Cut 1 - 9 1/2" x 9 1/2" square
Backing - Cut 1 - 12 1/2" strip, subcut 2 -12 1/2" x 18 1/2"
***Fabric D** - Cut 4 - 2 1/2" x 9 1/2" sashing strips (cut 2 LOF first, then cut 2 WOF second)
Fabric E - Cut 4 - 2 1/2" x 2 1/2" squares
Fabric G - Cut 1 - 1" strip, subcut 16 - 1" squares
Cut 2 - 2" strips, subcut 2 - 2" x 15 1/2" and 2 - 2" x 18 1/2"
Fabric H - Cut 3 - 1" strips, subcut 8 - 1" x 9 1/2" and 16 - 1" x 2 1/2"

***Fabric D** is directional so pay special attention when cutting. LOF = Length of Fabric. WOF = Width of Fabric.

2. Piecing Order:

1. Make 4 sashing strip sets by sewing **H** 1" x 9 1/2" strips to both sides of 4 **D** 2 1/2" x 9 1/2" strips. Press toward **Fabric H**.



make 4

2. Make 4 - 3" finished (3 1/2" unf.) corner blocks. First, sew **G** 1" squares to both ends of 8 **H** 1" x 2 1/2". Press toward **H**. Next, sew **H** 1" x 2 1/2" to both sides of **E** 2 1/2" squares. Press toward **H**. Then sew rows together for 4 blocks according to the diagram.



make 8



make 4



make 4

3. Sew a sashing strip set to both SIDES of **C** 9 1/2" square. Arrows indicate the direction of **Fabric D**. Next, sew a corner block to both ends of 2 sashing strips, then sew to the TOP and BOTTOM of **C** according to the diagram.

4. Sew **G** 2" borders around the pillow center, SIDES first, then TOP and BOTTOM borders.



5. Backing: Double fold and press one side 1/4" under on 2 **C** 12 1/2" x 18 1/2" backing pieces. Then, topstitch along edge of fold.

Next, place backing pieces over pillow, right sides together. Match raw edges to create overlap in the middle and secure with pins. Stitch 1/4" around outer edge of pillow. Clip corners and turn pillow right sides out. Insert pillow form and enjoy!!